New Jersey Department of Health and Senior Services Communicable Disease Service Influenza Activity Summary Week Ending November 13, 2010 (MMWR Week 45)


Influenza Activity Level: SPORADIC

No Activity: No increase in ILI activity detected AND no laboratory-confirmed cases of influenza in the previous 3 weeks

Sporadic: No increase in ILI activity detected **AND** laboratory-confirmed-cases anywhere in the state within previous 3 weeks **OR** at least one laboratory-confirmed outbreak in an institution anywhere in the state **Local:** Increases in ILI activity detected in a single county **AND** laboratory-confirmed cases from that same county within the previous 3 weeks **OR** confirmed outbreaks in 2 or more institutions in a single county **Regional:** Increases in ILI activity detected in ≥ 2 but ≤ 10 counties **AND** laboratory confirmed cases from these same counties in the past 3 weeks **OR** confirmed outbreaks institutions in ≥ 2 but ≤ 10 counties **Widespread:** Increases in ILI activity detected in > 10 counties **OR** institutional outbreaks in > 10 counties **AND** laboratory-confirmed influenza cases in previous 3 weeks.

Note: Systems used to detect changes in ILI activity include: ILINet (i.e., sentinel providers), school absenteeism data, ED ILI visits and admission collected via Hippocrates and EpiCenter systems, LTCF ILI data, LTCF outbreak data, and information on influenza mortality (122 city, influenza associated death report). Virologic surveillance data from PHEL will be used as the primary data source for the above levels. However, rapid influenza test data and commercial laboratory data will also be considered when determining the appropriate activity levels.

Statewide Influenza Activity Levels



Regional Data

Region	Counties in Region	Activity Level
NW Region	Morris, Passaic, Sussex, Warren	NO ACTIVITY
NE Region	Bergen, Essex, Hudson	NO ACTIVITY
CW Region	Hunterdon, Mercer, Somerset	NO ACTIVITY
CE Region	Middlesex, Monmouth, Ocean, Union	NO ACTIVITY
South Region	Atlantic, Burlington, Camden, Cape May, Salem,	SPORADIC
	Cumberland, Gloucester	

No Activity- No increase in ILI activity detected **AND** no laboratory-confirmed cases in the public health region Sporadic – No increase in ILI activity detected **AND** laboratory-confirmed cases anywhere in the public health region **OR** at least one laboratory confirmed outbreak in an institution anywhere in the public health region Local – Increases in ILI activity detected in a single county of the public health region **AND** laboratory-confirmed cases from that same county within the previous 3 weeks (other counties may be above baseline without lab confirmed cases) **OR** confirmed outbreaks in 2 or more institutions in a single county of a public health region Regional – Increases in ILI activity detected in at least half of the counties of public health region **AND** laboratory-confirmed cases from these same counties in the past 3 weeks **OR** confirmed outbreaks institutions in at least half of counties of public health region counties

Widespread - Not used for public health region data


Influenza Hospitalizations/Deaths

Influenza-associated hospitalizations are reported daily from hospital facilities using the Hippocrates or EpiCenter data systems. Data is aggregated by week and a percentage of admissions (i.e., number of admission associated with ILI divided by total admissions) is calculated. Additionally, a subset of these facilities also report hospitalization by age group (data not shown). Data from influenza-associated deaths are extracted from CDRSS. Only deaths associated with laboratory-confirmed influenza are included in these statistics.

NJ Influenza-Associated Hospitalizations and Deaths by Current MMWR week and							
Cumulative Total -Week 40 (2010) to present							
Hospitalizations** Deaths							
Week 45	149	0					
Cumulative	916	0					


^{**}Data represents both laboratory confirmed and syndromic illness. This number represents almost all acute care facilities in NJ and is not longer a subset. This reporting differs from information previously published during the 2009-2010 season and cannot be compared.

Percent Admission-ILI



<u>Syndromic Surveillance – Enhanced Emergency Department (ED) Surveillance for Influenza-like Illness (ILI)</u>

NOTE: The number of ED visits, hospital admissions, ED visits due to ILI, and hospital admissions due to ILI are reported each day by acute care facilities statewide. These data are captured via daily surveys sent using the Hippocrates system or electronic data feeds from EpiCenter.



Summary of Emergency Department (ED) Visits and Admits Surveillance

Daily surveillance for ED visits and admissions from 73 of 78 acute care facilities resulted in four ED visit blips (one each in Mercer and Monmouth and two in Middlesex) and five ED admission blips (one in each, Camden, Middlesex and Morris and two in Bergen) from 11/07/10 to 11/13/10. One visit and two admission blip responses were received and none were ILI-related.

Summary of Enhanced Emergency Department (ED) Surveillance for Influenza-like Illness (ILI) During 11/07/10 - 11/13/10, 73 acute care facilities reported an aggregate total of 1,518 ED visits due to ILI (2.6% of total ED visits) and an aggregate total of 149 admissions due to ILI (9.8% of total ILI ED visits). These reports resulted in 6 ED ILI visit blips (one in each, Atlantic, Camden, Hudson, Hunterdon, Passaic and Warren). There was no change in ILI activity for the week ending 11/13/10 when compared to the previous week ending 11/06/10 (p= 0.30). The mean daily percentage of ED visits for ILI during the week ending 11/13/10 was 2.2%, compared to 2.1% for the previous week. The mean percentage of ED visits due to ILI ranged from 1.8% to 2.8% during 11/07/10 - 11/13/10. The mean percentage of ED visits due to ILI (averaged over the previous four influenza seasons) for this same week (MMWR Week 45) was approximately 5%.


Laboratory Surveillance

As of week 45, two samples have been found to be positive by viral culture or PCR for influenza AH1, AH3, novel AH1N1 or influenza B. Please see graphs on next page for weekly distribution of influenza test performed by PCR and rapid antigen tests.


	MMWR Week 40 to present week						MMWR Week 43, 44, 45				
	A H1	A H3	A (subtyping not done)	В	2009 Influenza A H1N1	A H1	A H3	A (subtyping not done)	В	2009 Influenza A H1N1	
Atlantic County	0	1	0	0	0	0	1	0	0	0	
Bergen County	0	0	0	0	0	0	0	0	0	0	
Burlington County	0	0	0	0	0	0	0	0	0	0	
Camden County	0	0	0	0	0	0	0	0	0	0	
Cape May County	0	0	0	0	0	0	0	0	0	0	
Cumberland County	0	0	0	0	0	0	0	0	0	0	
Essex County	0	0	0	0	0	0	0	0	0	0	
Gloucester County	0	0	0	0	0	0	0	0	0	0	
Hudson County	0	0	0	0	0	0	0	0	0	0	
Hunterdon County	0	0	0	0	0	0	0	0	0	0	
Mercer County	0	0	0	0	0	0	0	0	0	0	
Middlesex County	0	0	0	0	0	0	0	0	0	0	
Monmouth County	0	0	0	0	0	0	0	0	0	0	
Morris County	0	0	0	0	0	0	0	0	0	0	
Ocean County	0	0	0	0	0	0	0	0	0	0	
Passaic County	0	0	0	0	0	0	0	0	0	0	
Salem County	0	0	0	0	0	0	0	0	0	0	
Somerset County	0	0	0	0	0	0	0	0	0	0	
Sussex County	0	0	0	0	0	0	0	0	0	0	
Union County	0	1	0	0	0	0	0	0	0	0	
Warren County	0	0	0	0	0	0	0	0	0	0	
Unknown	0	0	0	0	0	0	0	0	0	0	
State Total	0	2	0	0	0	0	1	0	0	0	

^{*}Rapid influenza test data is acquired from facilities reporting rapid influenza tests via NREVSS or CDRSS ILI module. Culture/PCR results are obtained from the LIMS system at PHEL. The county of the facility reporting is utilized to report the laboratory findings.

Influenza Laboratory Report Positive Specimens by PCR and Culture by Week 2010-2011 Influenza Season



Influenza Rapid Antigen Tests Total and Percent Positive 2010-2011 Influenza Season




<u>Influenza-like Illness (ILI) Surveillance*</u>

Long-term Care Facilities

During week 45, 0.74% ILI was reported statewide from long term care facilities. This is an increase compared to the previous week (0.45%). The percent ILI for each county ranged from 0.00% to 2.26%. The percent ILI for this same week last year was 1.06% in long-term care facilities. The percent ILI for the northwest (0.87%) and central west (1.73%) public health regions were above the state baseline (0.66%). No new reports of respiratory outbreaks in an institutional setting were received in week 45.


Influenza-like Activity - Long Term Care Facilities



School Absenteeism

During week 45, schools reported 3.92% absenteeism. This is a decrease compared to the previous week (5.10%). The percent absenteeism for each county ranged from 1.31 to 6.17%. The percent absent for this same week last year was 5.33%. The percent absenteeism for no public health region was found to be at or above the state baseline (5.42%).

School Absenteeism




Emergency Departments

NOTE: Data presented below is from daily ED data extracted from Hippocrates survey responses of EpiCenter on the Tuesday of each week. Because this data only represents one day of data, it is likely less accurate for detecting true trends than the syndromic data presented above.

During week 45, 2.77% of ILI was reported statewide from emergency departments. This is an increase compared to the previous week (2.38%). The percent ILI for each county ranged from 0.00 to 9.35%. The percent ILI for this same week last year was 9.59% in emergency departments. The percent ILI for the central east (3.98%) and central west (3.83) public health regions were found to be above the state baseline (2.84%).

Influenza-like Activity - Emergency Departments



Sentinel Provider Surveillance

During week 45, 0.99% of sentinel provider patient visits were due to ILI. These data reflect reports from ten (14%) of the 70 enrolled sentinel providers. During week 44, 1.19% of sentinel provider patient visits were due to ILI. These data reflect reports from twenty (29%) of the 70 enrolled sentinel providers. The 5-year average of sentinel provider patient visits due to ILI is 2.53%.

Pediatric Influenza Surveillance


To date, NJDHSS has received 4 reports of pediatric influenza meeting the case definition.

122 City Mortality Report

During week 44, 6.47% of all deaths reported by the vital statistics offices in 6 New Jersey cities (i.e., Camden, Elizabeth, Jersey City, Newark, Paterson, Trenton) were due to pneumonia or influenza. *Due to technical difficulties on the 122 Cities Mortality site*, *data for week 43 could not be downloaded*. The percentage of death due to pneumonia or influenza for this same week last year was 2.65.

RSV Reports

During week 44, 7.69% of all RSV samples tested were positive. This is a decrease from the previous week 8.00%. The percent of samples positive for RSV for this same week last year was 15.34%.



Additional Information

For additional information regarding influenza surveillance please visit the following websites.

http://nj.gov/health/flu/surveillance.shtml http://www.cdc.gov/flu/

Technical notes:

- Baseline is calculated by taking the average of statewide percentages of ILI for a 5 year (2006, 2007,2008, 2009, 2010) period during months when influenza is less likely to be circulating (May-August). MMWR week 53 occurred in the 2008-2009 influenza season only, for seasons occurring 2005-2008 an average of the two weeks adjoining week 53 were used.
- Five year average is an average of the 2005-2006, 2006-2007, 2007-2008, 2008-2009, 2009-2010 influenza seasons.

Communicable Disease Reporting and Surveillance System

NJ ACTIVE INFLUENZA-LIKE ILLNESS SURVEILLANCE STATISTICS SURVEILLANCE DATE: 11/09/2010 to 11/09/2010





									SENIOR SERVICES	
		Long Term Car	e		Schools		Hospital Emergency Department			
County	# Enrolled	# Reports Rec'd	% ILI	# Enrolled	# Reports Rec'd	% Absent	# Enrolled	# Reports Rec'd	% ILI	
November, 9, 2010 12:00 AM	MMRW WEEK									
ATLANTIC	4	2	1.02	19	9	5.72	4	4	0.87	
BERGEN	3	0	0.00	31	20	2.70	5	5	1.47	
BURLINGTON	6	3	0.00	115	58	3.89	3	3	0.26	
CAMDEN	7	0	0.00	17	0	0.00	7	6	2.18	
CAPE MAY	6	3	0.00	11	10	5.43	1	1	9.35	
CUMBERLAND	6	1	0.66	19	7	6.17	3	3	0.30	
ESSEX	24	7	0.28	47	11	2.47	11	8	2.97	
GLOUCESTER	5	4	0.57	6	6	4.39	2	1	1.65	
HUDSON	13	4	0.33	124	74	4.06	6	6	3.60	
HUNTERDON	4	4	0.69	8	8	2.45	1	1	1.35	
MERCER	11	6	2.26	26	20	3.33	5	3	4.88	
MIDDLESEX	2	0	0.00	135	0	0.00	5	5	4.08	
MONMOUTH	14	1	0.00	24	19	5.07	5	4	2.52	
MORRIS	3	1	0.00	1	0	0.00	4	3	1.60	
OCEAN	6	1	0.00	81	12	5.12	4	4	5.79	
PASSAIC	9	2	0.00	28	6	1.31	6	0	0.00	
SALEM	4	2	0.00	19	0	0.00	1	1	0.00	
SOMERSET	6	3	1.54	84	23	2.91	2	1	2.55	
SUSSEX	5	5	1.19	22	20	4.56	2	2	0.94	
UNION	4	2	0.00	219	43	2.99	5	4	2.91	
WARREN	8	4	1.36	36	22	5.46	2	1	2.78	
NW Region	25	12	0.87	87	48	4.51	14	6	1.63	
NE Region	40	11	0.30	202	105	3.74	22	19	2.69	
CW Region	21	13	1.73	118	51	3.01	8	5	3.83	
CE Region	26 38	4 15	0.00 0.35	459 206	74 90	3.97 4.47	19 21	17 19	3.98 1.57	
South Region State Total	150	55	0.35 0.74	1072	368	3.92	84	66	2.77	
State 10tal	150	35	0.74	10/2	300	3.92	04	UU	2.11	
Hear Names EINK AMV	1	ı	I	ı	l .	I	I	ı	Page 1 of 1	

User Name: FINK, AMY

Page 1 of 1

Communicable Disease Reporting and Surveillance System

NJ ACTIVE INFLUENZA-LIKE ILLNESS SURVEILLANCE STATISTICS SURVEILLANCE DATE: 11/09/2010 to 11/09/2010



	_				▼ SENIOR SERVICE
	RSV	Tests	Flu Tests		
County	# Positive	Total Tests Performed	# Positive	Total Tests Performed	
November, 9, 2010 12:00 AM	MMRW WEI	K 45			
ATLANTIC	0	0	0	0	
BERGEN	0	0	0	0	
BURLINGTON	0	7	0	0	
CAMDEN	0	4	0	0	
CAPE MAY	0	1	0	0	
CUMBERLAND	3	13	0	0	
ESSEX	2	18	8	101	
GLOUCESTER	1	5	0	0	
HUDSON	0	0	0	0	
HUNTERDON	0	2	0	8	
MERCER	0	4	0	0	
MIDDLESEX	0	0	0	0	
MONMOUTH	1	38	1	78	
MORRIS	0	2	0	4	
OCEAN	0	0	0	0	
PASSAIC	0	0	0	0	
SALEM	0	0	0	0	
SOMERSET	0	0	0	0	
SUSSEX	0	4	0	7	
UNION	1	6	0	0	
WARREN	0	0	0	0	
NW Region NE Region CW Region CE Region South Region	0 2 0 2 4	6 18 6 44 30	0 8 0 1 0	11 101 8 78 0	
State Total	8	104	9	198	
	1	I	I		